

No. : NBIN2004003587PS

Date : Apr 23, 2020

Page: 1 of 13



CUSTOMER NAME: SUZHOU QIANSHENG PLASTIC INDUSTRY CO., LTD ADDRESS: 8 JINGMIN ROAD, DONGQIAO, HUANGDAI TOWN, XIANGCHENG DISTRICT, SUZHOU

Sample Name : PC BOARD

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt	:	Apr 15, 2020
Testing Start Date	:	Apr 15, 2020
Testing End Date	:	Apr 23, 2020
Test result(s)	:	For further details, please refer to the following page(s) (Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for SGS-CSTC Standards Technical Services Co., Ltd Ningbo Branch

Ĭл Luna

Luna Yu Authorized signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u> agr, and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u> agr, and, for electronic format document Attention is drawn to the limitation of liability, indemunification and jurisdiction issues defined therein. Any holder of this document attention is drawn to the limitation of liability, indemunification and jurisdiction issues defined therein. Any holder of this document Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to cransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content o appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated th results shown in this test report refer only to the sample(s) tested and such sample(s) are trained for 30 days only. Attention: <u>Coheck the authenticity of testing inspection report & centing & centing testing of resider 45759</u> 8307 1443

1425FWetKha.4Balding.Lingnun hotshyPark.No.1177Lingnun Road, Ningba katonal H-Tech Zone, Ningba, China 315040 t (86-574) 87767006 f (86-574) 877901159 www.sgsgroup.com.cn 中国・宁波・国家高新区凌云路1177号凌云产业图4号楼香1-2.5层 邮编: 315040 t (86-574) 87767006 f (86-574) 87901159 e sgs.china@sgs.com



No. : NBIN2004003587PS Date : Apr 23, 2020

Page: 2 of 13

Summary of Results:

No.	Test Item	Test Method Result		Conclusion	
1	Vertical Burning	UL 94-2013 Rev.9- 2018 Section 8	V	V-0	
2	Charpy Notched Impact Strength	GB/T 1043.1-2008		70kJ/m² P (Partial break)	
3	Deflection Temperature under Load	GB/T 1634.1-2019 & GB/T 1634.2-2019 Method A	132 ℃		/
4	Flexural Test	GB/T 9341-2008	Flexural strength Flexural modulus	105MPa 2470MPa	/
5	Shore Hardness	GB/T 2411-2008		5:80	/

Note:

Pass : Meet the requirements;

Fail : Does not meet the requirements;

/: Not Apply to the judgment.

Original Sample Photo:





overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, aspx and, for electronic format documents ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Dilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction for means channels the cannot be reproduced to appear in fail, minis during the application of the company's parties to a product of the cannot be produced to the failer of the company's sole response of the cannot be reproduced to appear in fail, while during the sole of the company's parties to a product of the cannot be reproduced to the failer of the company's sole response of the company's sole appear to appear in fail, while during the sole of the company's parties to a sole of the company's sole response of the company's sole appear to appear in fail, while during the sole of the company's parties to a sole of the company's sole response of the company's sole appear to appear in fail, while during the sole of the company's sole appear to appear in this test report refer only to the sample's) tested and such sample's) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CD. Doccheck@gs.com

125F West Kk. 4Balding. Lingsun Industry Park, Kn. 1177 Lingsun Raud, Kingba Kalonal H-Teh Zone, Kingba, China 315040 t (86-574) 87767006 f (86-574) 87701159 www.sgsgroup.com.cn 中国・宁波・国家高新区凌云路1177号凌云产业图4号楼西1-2.5层 邮编: 315040 t (86-574) 87767006 f (86-574) 87901159 e sgs.china@sgs.com



No. : NBIN2004003587PS Date : Apr 23, 2020 Page: 3 of 13

1. Test Item: Vertical Burning

Sample Description: Plastic part

Test Method: UL 94-2013 Rev.9-2018 Section 8

Specimen Size: 100mm×13.0mm×1.99mm

Test Result:

Conditioning		As received :(23±2)℃, Ageing: (70±2)℃, 168h					3h→			
		(50±5)%RH,48h				Desiccator, (23±2)℃, 4h				
Specimen	1	2	3	4	5	1	2	3	4	5
Afterflame time after the first flame application (s), t ₁	1.2	0.9	5.1	3.2	1.2	2.9	2.9	1.9	2.1	2.9
Afterflame time after the second	3.3	2.1	6.2	1.1	8.3	3.6	5.2	1.5	8.4	9.7
flame application (s), t ₂	0.0	2.1	0.2		0.0	0.0	0.2	1.0	0.4	0.7
Afterglow time after the second	0	0	0	0	0	0	0	0	0	0
application (s), t ₃	Ū)	Ū	Ū	Ū	Ū	•	Ū	Ū	Ū
Total afterflame time for any	32.6			41.1						
condition set (s), t ₁ +t ₂	52.0				71.1					
Afterflame time plus afterglow time										
after the second flame application (s),	3.3	2.1	6.2	1.1	8.3	3.6	5.2	1.5	8.4	9.7
t ₂ +t ₃										
Whether or not specimen burn up to	No	No	No	No	No	No	No	No	No	No
the holding clamp										
Whether or not the cotton was ignited	No	No	No	No	No	No	No	No	No	No
by flaming particles or drops										
Classification	V-0									



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or paperarance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention: To check the authenticity of testing insection report & certificate**, please contact us at telephone: (86-755) 8307 1443,

1-25年Weblik AbblingLingwin hubby Pat, Mc. 1177Lingun Road, Ningbu Katonal H-Tech Zone, Ningbu China 315040 t (86-574) 87767006 f (86-574) 87901159 www.sgsgroup.com.cn 中国・宁波・国家高新区凌云路1177号凌云产业配4号楼西1-2,5层 邮编: 315040 t (86-574) 87767006 f (86-574) 87901159 e sgs.china@sgs.com




No. : NBIN2004003587PS Date : Apr 23, 2020 Page: 4 of 13

UL 94-2013 Rev.9-2018 table 8.1

Criteria conditions	V-0	V-1	V-2
Afterflame time for each individual specimen t ₁ or t ₂	≪10s	≪30s	≪30s
Total afterflame time for any condition set (t ₁ plus t ₂ for the 5 specimens)	≪50s	≪250s	≤250s
Afterflame plus afterglow time for each individual specimen after the second flame application (t ₂ +t ₃)	≪30s	≪60s	≪60s
Afterflame or afterglow of any specimen up to the holding clamp	No	No	No
Cotton indicator ignited by flaming particles or drops	No	No	Yes

Note : Test specimens were cut from the sample.

Test Photo:






weread, available on requested in whiting, this document is issued by the Company subject to its General Conditions of Service printee weread, available on request or score site at <u>http://www.sigs.com/informs.asp.com/informs.asp.asp.com/informs.asp.asp.com/informs.asp.asp.com/informs.asp.asp.com/informs.asp.asp.com/information/information/information.com/informa</u>

17.57 Walka Maling, Lingun Maaty Ank, Na 117 Lingun Raak, Ningla Kalanal H-Tah Zane, Ningla, Chia 315040 t (366–574) 87767006 f (366–574) 87701159 www.sgsgroup.com.cn 中国・宁波・国家高新区凌云路1177号凌云产业型4号楼西1-2,5层 邮编: 315040 t (366–574) 87767006 f (366–574) 87901159 e sgs.china@sgs.com



No. : NBIN2004003587PS Date : Apr 23, 2020 Page: 5 of 13



Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
Vertical horizontal				
combustion tester	HYHVT-3	NBES-159-1	2020-01-14	2021-01-13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/ent/end-Conditions.agx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/ent/enms-and-Conditions/Terms-en-Document.agx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained herein reflects the Company's lindings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction formator cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content o appearance of this document is unlawful and offenders may be prosecuted to the fullest extend to the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: <u>Cneck the authenticity of testing insection report & certificate</u>, please contact us at telephone: (86-755)8307 1443,

125FWatKw.48alding.Linggun hadshyPat, Mc.117/Lingun Rad, Ningbu Natanal H.Teh Zane, Ningbu China 315040 t (86-574) 87767006 f (86-574) 87701159 www.sgsgroup.com.cn 中国・宁波・国家高新区发云路1177号凌云产业图4号楼西1-2,5层 邮编: 315040 t (86-574) 87767006 f (86-574) 87901159 e sgs.china@sgs.com



No. : NBIN2004003587PS Date : Apr 23, 2020 Page: 6 of 13

2. Test Item: Charpy Notched Impact Strength

Sample Description: Plastic part

Test Method: GB/T 1043.1-2008

Test Condition:

Specimen: GB/T 1043.1/1eA (Notch preparation: machining)

Specimen thickness: 2.80mm

The capacity of the pendulum: 7.5J

Impact speed: 3.8m/s

Span: 62mm

Lab Environmental Condition: 23±2°C, 50±5%RH

Test Result:

Test Item	Test Result		
Charpy Natabad Impact Strongth	70kJ/m ²		
Charpy Notched Impact Strength	P (Partial break)		

Note:

1. Test specimens were cut from the sample.

2. The protected film of test specimens was ripped off before test.

Test Photo:






verleaf, available on request or accessible at http://www.sgs.com/enrTerms-and-Conditions.aspx and, for electronic format documents, ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/enrTerms-and-Conditions/Terms-en-Document.aspx. ttention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document do dvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of anaaction from exercising all their rights and obligations under the transaction document. This document cance be reproduced except in full, without prior written approval of the Company's Any unauthorized alteration, forgery or faisilication of the content or pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the sualitation To on tak the poort reflor only to the sample(s) tested and such sample(s) are retained for 30 days only. cemail: On Denocherk@anse.com.

1-25F West Ne. 4 Balders, Lingsun Industry Park, Ne. 1177 Lingsun Rived, Ningba Kalonal Ningba, China 315040 t (86-574) 87767006 f (86-574) 87901159 www.sgsgroup.com.cn 中国・宁波・国家高新区凌云路1177号凌云产业图4号楼西1-2,5层 邮编: 315040 t (86-574) 87767006 f (86-574) 87901159 e sgs.china@sgs.com



No. : NBIN2004003587PS Date : Apr 23, 2020 Page: 7 of 13



Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
Impact Tester	HIT50P	GZMR-PL-E283	2019-12-13	2020-12-12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed, overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and_ord relectronic format documents, subject to iterms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms-bocument.aspx. Advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document, and within the limits of transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced accept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

1253FWatkk 484660g,Lingun hindury Fak, Ma, 1171/Lingun Rad, Ningdo Katonal H-Tech Zone, Ningdo, China 315040 t (865-574) 87767006 f (865-574) 877901159 www.sgsgroup.com.cn 中国・宁波・国家高新区凌云路1177号凌云产业型4号楼西1-2,5层 邮编: 315040 t (865-574) 87767006 f (865-574) 87901159 e sgs.china@sgs.com



No. : NBIN2004003587PS Date : Apr 23, 2020 Page: 8 of 13

3. Test Item: Deflection Temperature under Load

Sample Description: Plastic part

Test Method: GB/T 1634.1-2019 & GB/T 1634.2-2019 Method A

Test Condition:

Specimen: 80mm×10.31mm×2.79mm

Heat-transfer media: Silicone oil

T_f1.8

Rate of temperature:120°C/h

Span: 64mm

Lab Environmental Condition: (23±2)°C, (50±5)%RH


Test Result:

Test Item	Test Result
Deflection Temperature under Load	1 32 °C

Note:

- 1. Test specimens were cut from the sample.
- 2. The protected film of test specimens was ripped off before test.

Test Photo:






verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents av ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document and dvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of anaaction from exercising all their rights and obligations under the transaction document. This document does not exonerate parties to a smaaction from exercising all their rights and obligations under the transaction forgery or falsification of the content or pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the scale this document is unlawful and offenders may be prosecuted to the fullest extent of the and. Instructions, the scale of the scale of

1-25F West Ne. 4 Balders, Lingsun Industry Park, Ne. 1177 Lingsun Rived, Ningba Kalonal Ningba, China 315040 t (86-574) 87767006 f (86-574) 87901159 www.sgsgroup.com.cn 中国・宁波・国家高新区凌云路1177号凌云产业图4号楼西1-2,5层 邮编: 315040 t (86-574) 87767006 f (86-574) 87901159 e sgs.china@sgs.com



No. : NBIN2004003587PS Date : Apr 23, 2020 Page: 9 of 13



Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
HDT and VICAT Tester	6970.000	GZMR-PL-E091	2020-02-26	2021-02-25



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/anTerms-and-Conditions, agox and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/enTerms-and-Conditions, agox and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1253FWatkk 484660g,Lingun hindury Fak, Ma, 1171/Lingun Rad, Ningdo Katonal H-Tech Zone, Ningdo, China 315040 t (865-574) 87767006 f (865-574) 877901159 www.sgsgroup.com.cn 中国・宁波・国家高新区凌云路1177号凌云产业型4号楼西1-2,5层 邮编: 315040 t (865-574) 87767006 f (865-574) 87901159 e sgs.china@sgs.com



No. : NBIN2004003587PS Date : Apr 23, 2020 Page: 10 of 13

4. Test Item: Flexural Test

Sample Description: Plastic part

Test Method: GB/T 9341-2008

Test Condition:

Specimen:60mm×25.21mm×2.80mm

Testing speed:1 mm/min

Span:44 mm

Lab Environmental Condition: 23±2°C, 50±5%RH

Test Result:

Test Item	Test Result
Flexural Strength	105MPa
Flexural Modulus	2470MPa

Note:

1. Test specimens were cut from the sample.

2. The protected film of test specimens was ripped off before test.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/lema-and-Conditions.and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/lema-and-Conditions/Terms-e-Document.aspx Advition is activent to internation of the librity internation of the subject of the subject

1425FWetNa 48aking Lingya IndustryPat, Mc 117/Lingua Raud, Ningba Kalona Hi Tehzone, Ningba China 315040 t (86-574) 87767006 f (86-574) 87901159 www.sgsgroup.com.cn 中国・宁波・国家高新区堤云路1177号凌云产业图4号楼香1-2.5层 邮编: 315040 t (86-574) 87767006 f (86-574) 87901159 e sgs.china@sgs.com



No. : NBIN2004003587PS Date : Apr 23, 2020 Page: 11 of 13

Test Photo:



Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
Universal Testing Machine	Z1.0	GZMR-PL-E252	2020-02-26	2021-02-25



unified a membre of requirements or any status at https://www.sas.com/ner/Terms-and-Cordilions (as private) for elutionic format documents unified at a membre of the status of the sta

17.57 Walka Maling, Lingun Maaty Ank, Na 117 Lingun Raak, Ningla Kalanal H-Tah Zane, Ningla, Chia 315040 t (366–574) 87767006 f (366–574) 87701159 www.sgsgroup.com.cn 中国・宁波・国家高新区凌云路1177号凌云产业型4号楼西1-2,5层 邮编: 315040 t (366–574) 87767006 f (366–574) 87901159 e sgs.china@sgs.com



No. : NBIN2004003587PS Date : Apr 23, 2020 Page: 12 of 13

5. Test Item: Shore Hardness

Sample Description: Plastic part

Test Method: GB/T 2411-2008

Test Condition:

Specimen thickness: 5.68mm (2 layers plied up)

Lab Environmental Condition: (23±2)°C, (50±5)%RH

Test Result:

Test Item	Test Result
Shore Hardness	D/15:80

Note:

1. D/15:X Indicates that D is the type of durometer; 15 s is the reading time; X is the hardness value.

2. The protected film of test specimens was ripped off before test.

3. Test specimens were cut from the sample.




Unless otherwise agreed in writing, this document is issued by the Company subject to its Centeral Conditions of service printer overleaf, available on request or accessible at http://www.sgs.com/entrem.rem.com/disea.ava, for electronic format documents advantable on request or accessible at http://www.sgs.com/entrem.rem.com/disea.ava, for electronic format documents advantable on request or accessible at http://www.sgs.com/entrem.rem.com/disea.ava advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits o Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to o transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content oppearance of this document is unlawfull and offenders may be prosocuted to the fullest extent of the law. Unless otherwise stated th results shown in this test report refer only to the sample(s) tested and such sample(s) are trained for 30 days only. Attention: Check the authenticity to testing impection report & certificate, please contact us at telephone: (86-755) 8307 1443

1425FWetKik 48biding Lingyan IndustryPat, Mc 117/Lingun Rised, Ningba Kalonal H-Tech Zene, Kingba, Chine 315040 t (86-574) 87767/006 f (86-574) 87901159 www.sgsgroup.com.cn 中国・宁波・国家高新区波云路1177号凌云产业图4号楼西1-2.5层 邮编: 315040 t (86-574) 87767/006 f (86-574) 87901159 e sgs.china@sgs.com



No. : NBIN2004003587PS Date : Apr 23, 2020 Page: 13 of 13

Test Photo:



Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
Multifunction Hardness Tester	Digitest II	GZMR-PL-E156	2019-05-17	2020-05-16

- Test item2 ~ 5 was/were carried out by other SGS laboratory.

******** End of report ********



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Tem-and-Conditions.agx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.frems-en-Document.agx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's lindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention: Check the authenticity of testing insection report & certificate**, please contact us at telephone: (86-755)8307 1443,

1253FWatkk 484660g,Lingun hindury Fak, Ma, 1171/Lingun Rad, Ningdo Katonal H-Tech Zone, Ningdo, China 315040 t (865-574) 87767006 f (865-574) 877901159 www.sgsgroup.com.cn 中国・宁波・国家高新区凌云路1177号凌云产业型4号楼西1-2,5层 邮编: 315040 t (865-574) 87767006 f (865-574) 87901159 e sgs.china@sgs.com